

nordlux®
energetic

Bulb collection

2022/2023



For the 2022-2023 bulb collection, our sustained development has resulted in our largest global bulb assortment ever.

We have worked hard to improve the existing items and made some top-of-the-line extensions to the existing range, so that all of our Nordlux and Energetic branded bulbs meet our high-quality demands.

A highlight is our very first A-class rated A60 bulbs, in the exact same appearance as standard A60 bulbs. We are very proud to be one of the first manufacturers to bring these into the market – and setting the standard for higher energy efficiency.

All of the bulbs in the catalogue are equipped with world leading LED technology, a long lifetime and are furthermore carried out with high-quality coating, great colour rendering and elegant design.

The ranges cover low to high wattages and lumen, both in warm and cool white, dimmable and non-dimmable, multiple of lamp holder types and shapes.

Our functional Energetic branded bulbs come in full glass, both clear and milky as well as a basic plastic range with value packs.

Our decorative Nordlux branded bulbs bring added value with a beautiful bulb design that can serve as a decorative element in the interior.

Our Smart Nordlux branded bulbs are growing to a full assortment with a variety of functionalities.

We proudly present our 2022-2023 global bulb collection.

Bulb collection

Table of contents

04

*A60
Filament*

12

*G45
Filament*

17

*C35
Filament*

22

*G95 & G120
Filament*

24

*T25
Filament*

26

*A60
SMD*

29

*G45
SMD*

32

*C35
SMD*

34

*G4 & G9
SMD*

36

*Flame
SMD*

38

*A60 Sensor
SMD*

40

PAR16

44

*R50, R63, R80
& PAR20*

46

T8

48

*Deco
Series*

57

*Smart
Series*


63

*Lightsource
information*

64

*Product
index*

A60 Filament






A60 E27 Filament 250 lumen

Masterbox	Qty. 6
EAN	6923933813599
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933818198
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 470 lumen

Masterbox	Qty. 5
EAN	6923933819676
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 B22 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933819867
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




A60 E27 Filament 500 lumen

Masterbox	Qty. 6
EAN	6923933819683
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 4W = Eq. 42W, Lumen 500, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 500 lumen

Masterbox	Qty. 5
EAN	6923933819690
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 4W = Eq. 42W, Lumen 500, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933818204
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




A60 E27 Filament 806 lumen

Masterbox	Qty. 5
EAN	6923933819706
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 B22 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933819874
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 B22 Filament 806 lumen

Masterbox	Qty. 5
EAN	6923933819881
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




A60 E27 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933818259
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 7,2W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	E




A60 E27 Filament 860 lumen

Masterbox	Qty. 6
EAN	6923933818211
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 6,8W = Eq. 63W, Lumen 860, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




A60 E27 Filament 860 lumen

Masterbox	Qty. 5
EAN	6923933819713
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 6,8W = Eq. 63W, Lumen 860, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 B22 Filament 860 lumen

Masterbox	Qty. 6
EAN	6923933819898
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 6,8W = Eq. 63W, Lumen 860, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 B22 Filament 860 lumen

Masterbox	Qty. 5
EAN	6923933819904
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 6,8W = Eq. 63W, Lumen 860, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 1055 lumen

Masterbox	Qty. 6
EAN	6923933814107
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 7,8W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D




A60 E27 Filament 1055 lumen

Masterbox	Qty. 5
EAN	6923933819720
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 7,8W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D




A60 E27 Filament 1055 lumen

Masterbox	Qty. 6
EAN	6923933814138
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 7,8W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	D




A60 E27 Filament 1150 lumen

Masterbox	Qty. 6
EAN	6923933816965
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 7,8W = Eq. 80W, Lumen 1150, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D



A60 E27 Filament 1150 lumen

Masterbox	Qty. 5
EAN	6923933819737
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 7,8W = Eq. 80W, Lumen 1150, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D




A60 E27 Filament 1150 lumen

Masterbox	Qty. 6
EAN	6923933819744
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 7,8W = Eq. 80W, Lumen 1150, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	D



A60 B22 Filament 1521 lumen

Masterbox	Qty. 6
EAN	6923933820498
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 11W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D




A60 B22 Filament 1521 lumen

Masterbox	Qty. 5
EAN	6923933820504
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 11W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D




A60 E27 Filament 1521 lumen

Masterbox	Qty. 6
EAN	6923933820559
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 11W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	D




A60 B22 Filament 1620 lumen

Masterbox	Qty. 6
EAN	6923933820511
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 11W = Eq. 105W, Lumen 1620, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D



A60 B22 Filament 1620 lumen

Masterbox	Qty. 5
EAN	6923933820528
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 11W = Eq. 105W, Lumen 1620, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D



A60 E27 Filament 1620 lumen

Masterbox	Qty. 6
EAN	6923933820337
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 11W = Eq. 105W, Lumen 1620, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	D



A60 E27 Filament 485 lumen

Masterbox	Qty. 6
EAN	6923933821129
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 2,3W = Eq. 41W, Lumen 485, Kelvin 2700, Life hours 30000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	A



A60 E27 Filament 840 lumen

Masterbox	Qty. 6
EAN	6923933821136
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 4W = Eq. 62W, Lumen 840, Kelvin 2700, Life hours 30000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	A



A60 E27 Filament 250 lumen

Masterbox	Qty. 6
EAN	6923933818297
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933818303
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933819751
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933818310
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 806 lumen

Masterbox	Qty. 5
EAN	6923933819768
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 B22 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933818334
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933818389
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 7,2W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933817085
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 806 lumen

Masterbox	Qty. 5
EAN	6923933819775
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 B22 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933819959
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 6,8W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 1055 lumen

Masterbox	Qty. 6
EAN	6923933818341
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 8,5W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 1055 lumen

Masterbox	Qty. 5
EAN	6923933819782
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 8,5W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 B22 Filament 1055 lumen

Masterbox	Qty. 6
EAN	6923933818365
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 8,5W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 1055 lumen

Masterbox	Qty. 6
EAN	6923933818372
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 8,5W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 1055 lumen

Masterbox	Qty. 6
EAN	6923933817092
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 8,5W = Eq. 75W, Lumen 1055, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 1055 lumen

Masterbox	Qty. 5
EAN	6923933819799
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 8,5W = Eq. 75W, Lumen 1055, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 Filament 1055 lumen

Masterbox	Qty. 6
EAN	6923933819805
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 8,5W = Eq. 75W, Lumen 1055, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	E



A60 B22 Filament 1521 lumen

Masterbox	Qty. 6
EAN	6923933820535
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 11W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, , Voltage 220-240
Energy class	D



A60 E27 Filament 1521 lumen

Masterbox	Qty. 6
EAN	6923933820283
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 11W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	D



A60 E27 Filament 1521 lumen

Masterbox	Qty. 6
EAN	6923933821068
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 11W = Eq. 100W, Lumen 1521, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D



A60 B22 Filament 1521 lumen


Masterbox	Qty. 6
EAN	6923933820542
Size	H: 10,2 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	B22, 11W = Eq. 100W, Lumen 1521, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D



A60 E27 Filament 1521 lumen

Masterbox	Qty. 6
EAN	6923933820290
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 11W = Eq. 100W, Lumen 1521, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	D

G45 Filament





G45 E14 Filament 140 lumen

Masterbox	Qty. 6
EAN	6923933815357
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 1,2W = Eq. 15W, Lumen 140, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E27 Filament 140 lumen

Masterbox	Qty. 6
EAN	6923933815364
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 1,2W = Eq. 15W, Lumen 140, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




G45 E14 Filament 250 lumen

Masterbox	Qty. 6
EAN	6923933814039
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




G45 E27 Filament 250 lumen

Masterbox	Qty. 6
EAN	6923933814046
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 B22 Filament 250 lumen

Masterbox	Qty. 6
EAN	6923933819812
Size	H: 7,7 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	B22, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E27 Filament 270 lumen

Masterbox	Qty. 6
EAN	6923933819621
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 2,1W = Eq. 26W, Lumen 270, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E14 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933813568
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E14 Filament 470 lumen

Masterbox	Qty. 5
EAN	6923933820009
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E27 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933813575
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 B22 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933819829
Size	H: 7,7 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	B22, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E27 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933813483
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 4,2W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	E



G45 E14 Filament 500 lumen

Masterbox	Qty. 6
EAN	6923933817337
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 42W, Lumen 500, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E14 Filament 500 lumen

Masterbox	Qty. 5
EAN	6923933820016
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 42W, Lumen 500, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E27 Filament 500 lumen

Masterbox	Qty. 6
EAN	6923933817146
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 4W = Eq. 42W, Lumen 500, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E27 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933818648
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 5,9W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D



G45 E27 Filament 860 lumen

Masterbox	Qty. 6
EAN	6923933818655
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 5,9W = Eq. 63W, Lumen 860, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D



G45 E14 Filament 140 lumen

Masterbox	Qty. 6
EAN	6923933814237
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 1,2W = Eq. 15W, Lumen 140, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E27 Filament 140 lumen

Masterbox	Qty. 6
EAN	6923933814398
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 1,2W = Eq. 15W, Lumen 140, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E14 Filament 250 lumen

Masterbox	Qty. 6
EAN	6923933818686
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E27 Filament 250 lumen

Masterbox	Qty. 6
EAN	6923933818693
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E14 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933818709
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E14 Filament 470 lumen

Masterbox	Qty. 5
EAN	6923933820023
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E27 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933818723
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E27 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933818730
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 4,2W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	E



G45 E14 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933818716
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E14 Filament 470 lumen

Masterbox	Qty. 5
EAN	6923933820030
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E27 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933818747
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E14 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933820047
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E27 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933818754
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



G45 E14 Filament 806 lumen


Masterbox	Qty. 6
EAN	6923933820054
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E14, 6,8W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




G45 E27 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933818761
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E


C35 Filament






C35 E14 Filament 140 lumen

Masterbox	Qty. 6
EAN	6923933815319
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 1,2W = Eq. 15W, Lumen 140, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




C35 E14 Filament 250 lumen

Masterbox	Qty. 6
EAN	6923933813124
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




C35 E27 Filament 250 lumen

Masterbox	Qty. 6
EAN	6923933819638
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E27, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




C35 B22 Filament 250 lumen

Masterbox	Qty. 6
EAN	6923933819836
Size	H: 9,3 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	B22, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




C35 E14 Filament 270 lumen

Masterbox	Qty. 6
EAN	6923933820085
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 2,1W = Eq. 26W, Lumen 270, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




C35 E14 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933814077
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




C35 E14 Filament 470 lumen

Masterbox	Qty. 5
EAN	6923933820092
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




C35 E27 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933819645
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




C35 B22 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933819843
Size	H: 9,3 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	B22, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




C35 E14 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933813117
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 4,2W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	E




C35 E14 Filament 500 lumen

Masterbox	Qty. 6
EAN	6923933817115
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 42W, Lumen 500, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



C35 E14 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933818464
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 5,9W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D



C35 E14 Filament 860 lumen

Masterbox	Qty. 6
EAN	6923933818471
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 5,9W = Eq. 63W, Lumen 860, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D



C35 E14 Filament 140 lumen

Masterbox	Qty. 6
EAN	6923933814329
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 1,2W = Eq. 15W, Lumen 140, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



C35 E14 Filament 250 lumen

Masterbox	Qty. 6
EAN	6923933818495
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



C35 E27 Filament 250 lumen

Masterbox	Qty. 6
EAN	6923933819652
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E27, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



C35 E14 Filament 250 lumen

Masterbox	Qty. 6
EAN	6923933820108
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 2,1W = Eq. 25W, Lumen 250, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



C35 E14 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933818501
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



C35 E14 Filament 470 lumen

Masterbox	Qty. 5
EAN	6923933820115
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



C35 E27 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933819669
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



C35 B22 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933819850
Size	H: 9,3 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	B22, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



C35 E14 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933818518
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 4,2W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	E



C35 E14 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933818525
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



C35 E14 Filament 806 lumen


Masterbox	Qty. 6
EAN	6923933818532
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E




C35 E14 Filament 806 lumen

Masterbox	Qty. 6
EAN	6923933818549
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Filament
Light source	E14, 6,8W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E

G95 & G120 Filament





G95 E27 Filament 1521 lumen

Masterbox	Qty. 3
EAN	6923933820306
Size	H: 13,7 cm, Ø: 9,5 cm
Material	Glass
Type	Filament
Light source	E27, 11W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	D




G95 E27 Filament 1055 lumen

Masterbox	Qty. 6
EAN	6923933816910
Size	H: 13,7 cm, Ø: 9,5 cm
Material	Glass
Type	Filament
Light source	E27, 8,5W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	E



G95 E27 Filament 1521 lumen

Masterbox	Qty. 3
EAN	6923933820313
Size	H: 13,7 cm, Ø: 9,5 cm
Material	Glass
Type	Filament
Light source	E27, 11W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	D



G120 E27 Filament 1521 lumen


Masterbox	Qty. 3
EAN	6923933817184
Size	H: 17,2 cm, Ø: 12,4 cm
Material	Glass
Type	Filament
Light source	E27, 11W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D



G120 E27 Filament 1521 lumen

Masterbox	Qty. 3
EAN	6923933817207
Size	H: 17,2 cm, Ø: 12,4 cm
Material	Glass
Type	Filament
Light source	E27, 11W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	D

T25
Filament





T25 E14 Filament 100 lumen

Masterbox	Qty. 8
EAN	6923933812578
Size	H: 5,7 cm, Ø: 2,5 cm
Material	Glass
Type	Filament
Light source	E14, 1,1W = Eq. N/AW, Lumen 100, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	F



T25 E14 Filament 250 lumen


Masterbox	Qty. 8
EAN	6923933813544
Size	H: 8,5 cm, Ø: 2,5 cm
Material	Glass
Type	Filament
Light source	E14, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E



T25 E14 Filament 470 lumen

Masterbox	Qty. 6
EAN	6923933814008
Size	H: 8,5 cm, Ø: 2,5 cm
Material	Glass
Type	Filament
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	E

A60
SMD





A60 E27 SMD 470 lumen

Masterbox	Qty. 6
EAN	6923933817702
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 4,8W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 240°, Not dimmable, Voltage 220-240
Energy class	F



A60 E27 SMD 470 lumen

Masterbox	Qty. 5
EAN	6923933817818
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 4,8W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 240°, Not dimmable, Voltage 220-240
Energy class	F



A60 E27 SMD 470 lumen

Masterbox	Qty. 5
EAN	6923933817801
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 4,8W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15000, RA 80, Beam angle 240°, Not dimmable, Voltage 220-240
Energy class	F



A60 E27 SMD 806 lumen

Masterbox	Qty. 6
EAN	6923933817856
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 8,6W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 240°, Not dimmable, Voltage 220-240
Energy class	F



A60 E27 SMD 806 lumen

Masterbox	Qty. 5
EAN	6923933817832
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 8,6W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 240°, Not dimmable, Voltage 220-240
Energy class	F



A60 E27 SMD 806 lumen

Masterbox	Qty. 5
EAN	6923933817849
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 8,6W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15000, RA 80, Beam angle 240°, Not dimmable, Voltage 220-240
Energy class	F



A60 E27 SMD 1055 lumen

Masterbox	Qty. 6
EAN	6923933817719
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 9,6W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15000, RA 80, Beam angle 240°, Not dimmable, Voltage 220-240
Energy class	F



A60 E27 SMD 1055 lumen

Masterbox	Qty. 5
EAN	6923933817863
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 9,6W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15000, RA 80, Beam angle 240°, Not dimmable, Voltage 220-240
Energy class	F



A60 E27 SMD 1521 lumen

Masterbox	Qty. 6
EAN	6923933817894
Size	H: 11,4 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 13,3W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15000, RA 80, Beam angle 200°, Not dimmable, Voltage 220-240
Energy class	E



A60 E27 SMD 1521 lumen

Masterbox	Qty. 5
EAN	6923933817887
Size	H: 11,4 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 13,3W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15000, RA 80, Beam angle 200°, Not dimmable, Voltage 220-240
Energy class	E

G45
SMD





G45 E14 SMD 250 lumen

Masterbox	Qty. 6
EAN	6923933817917
Size	H: 8,7 cm, Ø: 4,5 cm
Material	Plastic
Type	SMD
Light source	E14, 2,9W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 225°, Not dimmable, Voltage 220-240
Energy class	F



G45 E14 SMD 250 lumen

Masterbox	Qty. 5
EAN	6923933817900
Size	H: 8,7 cm, Ø: 4,5 cm
Material	Plastic
Type	SMD
Light source	E14, 2,9W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 225°, Not dimmable, Voltage 220-240
Energy class	F



G45 E27 SMD 250 lumen

Masterbox	Qty. 6
EAN	6923933817931
Size	H: 8,4 cm, Ø: 4,5 cm
Material	Plastic
Type	SMD
Light source	E27, 2,9W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 225°, Not dimmable, Voltage 220-240
Energy class	F



G45 E27 SMD 250 lumen

Masterbox	Qty. 5
EAN	6923933817924
Size	H: 8,4 cm, Ø: 4,5 cm
Material	Plastic
Type	SMD
Light source	E27, 2,9W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 225°, Not dimmable, Voltage 220-240
Energy class	F



G45 E14 SMD 470 lumen

Masterbox	Qty. 6
EAN	6923933817962
Size	H: 8,7 cm, Ø: 4,5 cm
Material	Plastic
Type	SMD
Light source	E14, 4,9W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 225°, Not dimmable, Voltage 220-240
Energy class	F



G45 E14 SMD 470 lumen

Masterbox	Qty. 5
EAN	6923933817948
Size	H: 8,7 cm, Ø: 4,5 cm
Material	Plastic
Type	SMD
Light source	E14, 4,9W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 225°, Not dimmable, Voltage 220-240
Energy class	F



G45 E27 SMD 470 lumen

Masterbox	Qty. 6
EAN	6923933813551
Size	H: 8,4 cm, Ø: 4,5 cm
Material	Plastic
Type	SMD
Light source	E27, 4,9W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 225°, Not dimmable, Voltage 220-240
Energy class	F



G45 E27 SMD 470 lumen

Masterbox	Qty. 5
EAN	6923933817955
Size	H: 8,4 cm, Ø: 4,5 cm
Material	Plastic
Type	SMD
Light source	E27, 4,9W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 225°, Not dimmable, Voltage 220-240
Energy class	F



G45 E27 SMD 806 lumen

Masterbox	Qty. 6
EAN	6923933814770
Size	H: 8,7 cm, Ø: 4,5 cm
Material	Plastic
Type	SMD
Light source	E27, 7,7W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 200°, Not dimmable, Voltage 220-240
Energy class	F



G45 E27 SMD 806 lumen

Masterbox	Qty. 5
EAN	6923933817979
Size	H: 8,7 cm, Ø: 4,5 cm
Material	Plastic
Type	SMD
Light source	E27, 7,7W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 200°, Not dimmable, Voltage 220-240
Energy class	F

C35
SMD





C35 E14 SMD 250 lumen

Masterbox	Qty. 6
EAN	6923933818112
Size	H: 10 cm, Ø: 3,5 cm
Material	Plastic
Type	SMD
Light source	E14, 2,9W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 300°, Not dimmable, Voltage 220-240
Energy class	F



C35 E14 SMD 250 lumen

Masterbox	Qty. 5
EAN	6923933818129
Size	H: 10 cm, Ø: 3,5 cm
Material	Plastic
Type	SMD
Light source	E14, 2,9W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 300°, Not dimmable, Voltage 220-240
Energy class	F



C35 E14 SMD 470 lumen


Masterbox	Qty. 6
EAN	6923933817726
Size	H: 10 cm, Ø: 3,5 cm
Material	Plastic
Type	SMD
Light source	E14, 4,9W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 300°, Not dimmable, Voltage 220-240
Energy class	F





C35 E14 SMD 470 lumen

Masterbox	Qty. 5
EAN	6923933818143
Size	H: 10 cm, Ø: 3,5 cm
Material	Plastic
Type	SMD
Light source	E14, 4,9W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15000, RA 80, Beam angle 300°, Not dimmable, Voltage 220-240
Energy class	F

**G4 & G9
SMD**






G4 SMD 136 lumen

Masterbox	Qty. 6
EAN	6923933820207
Size	H: 3,8 cm, Ø: 1 cm
Material	Ceramic
Type	SMD
Light source	G4, 1,4W = Eq. 15W, Lumen 136, Kelvin 3000, Life hours 15000, RA 80, Beam angle 300°, Not dimmable, Voltage 12
Energy class	F

G4 SMD 136 lumen

Masterbox	Qty. 16
EAN	6923933820214
Size	H: 3,8 cm, Ø: 1 cm
Material	Ceramic
Type	SMD
Light source	G4, 1,4W = Eq. 15W, Lumen 136, Kelvin 3000, Life hours 15000, RA 80, Beam angle 300°, Not dimmable, Voltage 12
Energy class	F




G4 SMD 180 lumen

Masterbox	Qty. 6
EAN	6923933818150
Size	H: 4 cm, Ø: 1 cm
Material	Silicon
Type	SMD
Light source	G4, 1,7W = Eq. 18W, Lumen 180, Kelvin 2700, Life hours 15000, RA 80, Beam angle 300°, Not dimmable, Voltage 12
Energy class	F




G9 SMD 400 lumen

Masterbox	Qty. 6
EAN	6923933817733
Size	H: 5,6 cm, Ø: 1,8 cm
Material	Ceramic
Type	SMD
Light source	G9, 3W = Eq. 35W, Lumen 400, Kelvin 3000, Life hours 15000, RA 80, Beam angle 280°, Not dimmable, Voltage 220-240
Energy class	E



G9 SMD 350 lumen


Masterbox	Qty. 6
EAN	6923933820320
Size	H: 5,6 cm, Ø: 1,8 cm
Material	Ceramic
Type	SMD
Light source	G9, 2,5W = Eq. 32W, Lumen 350, Kelvin 3000, Life hours 15000, RA 80, Beam angle 280°, Dimmable, Voltage 220-240
Energy class	D



G9 SMD 370 lumen

Masterbox	Qty. 6
EAN	6923933818167
Size	H: 5,6 cm, Ø: 1,8 cm
Material	Ceramic
Type	SMD
Light source	G9, 3W = Eq. 33W, Lumen 370, Kelvin 3000, Life hours 15000, RA 80, Beam angle 280°, Not dimmable, Voltage 220-240
Energy class	E

FLAME
SMD





A60 E27 SMD 396 lumen

Masterbox	Qty. 6
EAN	6923933817771
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 4,9W = Eq. 35W, Lumen 396, Kelvin 2400, Life hours 15000, RA 80, Beam angle 240°, Not dimmable, Voltage 220-240
Energy class	G



G45 E27 SMD 215 lumen


Masterbox	Qty. 6
EAN	6923933814213
Size	H: 8,4 cm, Ø: 4,5 cm
Material	Plastic
Type	SMD
Light source	E27, 2,9W = Eq. 22W, Lumen 215, Kelvin 2400, Life hours 15000, RA 80, Beam angle 225°, Not dimmable, Voltage 220-240
Energy class	G



G45 E14 SMD 215 lumen

Masterbox	Qty. 6
EAN	6923933813896
Size	H: 8,7 cm, Ø: 4,5 cm
Material	Plastic
Type	SMD
Light source	E14, 2,9W = Eq. 22W, Lumen 215, Kelvin 2400, Life hours 15000, RA 80, Beam angle 225°, Not dimmable, Voltage 220-240
Energy class	G

**A60
SENSOR
SMD**







A60 E27 light sensor SMD 806 lumen

Masterbox	Qty. 6
EAN	6923933809639
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 8,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15000, RA 80, Beam angle 240°, Not dimmable, Voltage 220-240
Energy class	F


PAR16





GU10 Glass Housing 230 lumen

Masterbox	Qty. 6
EAN	6923933817993
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 3,1W = Eq. 35W, Lumen 230, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	F



GU10 Glass Housing 230 lumen

Masterbox	Qty. 5
EAN	6923933820436
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 3,1W = Eq. 35W, Lumen 230, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	F



GU10 Glass Housing 345 lumen

Masterbox	Qty. 6
EAN	6923933818006
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 4,7W = Eq. 50W, Lumen 345, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	F



GU10 Glass Housing 345 lumen

Masterbox	Qty. 5
EAN	6923933820122
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 4,7W = Eq. 50W, Lumen 345, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	F



GU10 Glass Housing 345 lumen

Masterbox	Qty. 6
EAN	6923933812462
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 4,7W = Eq. 50W, Lumen 345, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Dimmable, Voltage 220-240
Energy class	F



GU10 Glass Housing 345 lumen

Masterbox	Qty. 5
EAN	6923933812691
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 4,7W = Eq. 50W, Lumen 345, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Dimmable, Voltage 220-240
Energy class	F



GU10 Glass Housing 345 lumen

Masterbox	Qty. 6
EAN	6923933818013
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 4,7W = Eq. 50W, Lumen 345, Kelvin 4000, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	F



GU10 Glass Housing 345 lumen

Masterbox	Qty. 5
EAN	6923933820139
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 4,7W = Eq. 50W, Lumen 345, Kelvin 4000, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	F




GU10 Glass Housing 345 lumen

Masterbox	Qty. 6
EAN	6923933817740
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 4,7W = Eq. 50W, Lumen 345, Kelvin 4000, Life hours 15000, RA 80, Beam angle 36°, Dimmable, Voltage 220-240
Energy class	F



GU10 Glass Housing 450 lumen

Masterbox	Qty. 6
EAN	6923933814749
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 4,9W = Eq. 64W, Lumen 450, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	F




GU10 Glass Housing 450 lumen

Masterbox	Qty. 5
EAN	6923933820184
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 4,9W = Eq. 64W, Lumen 450, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	F



GU10 Glass Housing 450 lumen

Masterbox	Qty. 6
EAN	6923933817269
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 4,9W = Eq. 64W, Lumen 450, Kelvin 4000, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	F




GU10 Glass Housing 450 lumen

Masterbox	Qty. 5
EAN	6923933820191
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 4,9W = Eq. 64W, Lumen 450, Kelvin 4000, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	F




GU10 Glass Housing 450 lumen

Masterbox	Qty. 6
EAN	6923933817276
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 6,2W = Eq. 64W, Lumen 450, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Dimmable, Voltage 220-240
Energy class	F




GU10 White Housing 230 lumen

Masterbox	Qty. 5
EAN	6923933818051
Size	H: 5,5 cm, Ø: 5 cm
Material	Plastic
Type	SMD
Light source	GU10, 3,1W = Eq. 35W, Lumen 230, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	F



GU10 White Housing 345 lumen


Masterbox	Qty. 5
EAN	6923933818068
Size	H: 5,5 cm, Ø: 5 cm
Material	Plastic
Type	SMD
Light source	GU10, 4,7W = Eq. 50W, Lumen 345, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	F



GU10 White Housing 540 lumen

Masterbox	Qty. 5
EAN	6923933821110
Size	H: 5,5 cm, Ø: 5 cm
Material	Plastic
Type	SMD
Light source	GU10, 6,7W = Eq. 75W, Lumen 540, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Dimmable, Voltage 220-240
Energy class	F

**R50,
R63,
R80 &
PAR20**





R50 E14 Glass Housing 250 lumen

Masterbox	Qty. 6
EAN	6923933818082
Size	H: 8,2 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	E14, 3W = Eq. 46W, Lumen 250, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Dimmable, Voltage 220-240
Energy class	F



R63 E27 Glass Housing 207 lumen

Masterbox	Qty. 6
EAN	6923933820061
Size	H: 10,2 cm, Ø: 6,3 cm
Material	Glass
Type	SMD
Light source	E27, 3,3W = Eq. 40W, Lumen 207, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	G



R63 E27 Glass Housing 345 lumen

Masterbox	Qty. 6
EAN	6923933818099
Size	H: 10,2 cm, Ø: 6,3 cm
Material	Glass
Type	SMD
Light source	E27, 4,2W = Eq. 60W, Lumen 345, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Dimmable, Voltage 220-240
Energy class	F



R80 E27 Glass Housing 345 lumen


Masterbox	Qty. 6
EAN	6923933820078
Size	H: 11 cm, Ø: 8 cm
Material	Glass
Type	SMD
Light source	E27, 4,4W = Eq. 60W, Lumen 345, Kelvin 2700, Life hours 15000, RA 80, Beam angle 36°, Not dimmable, Voltage 220-240
Energy class	F




PAR20 E27 Glass Housing 500 lumen

Masterbox	Qty. 6
EAN	6923933820221
Size	H: 8,9 cm, Ø: 6,35 cm
Material	Glass
Type	SMD
Light source	E27, 7W = Eq. 75W, Lumen 500, Kelvin 3000, Life hours 15000, RA 80, Beam angle 30°, Dimmable, Voltage 220-240
Energy class	G


T8






T8 LED Tube G13 1150 lumen

Masterbox	Qty. 10
EAN	6923933820375
Size	H: 60,3 cm, Ø: 2,8 cm
Material	Glass
Type	Tube
Light source	G13, 9W = Eq. N/AW, Lumen 1150, Kelvin 4000, Life hours 30000, RA 80, Beam angle N/A°, Not dimmable, Voltage 220-240
Energy class	E




T8 LED Tube G13 1150 lumen

Masterbox	Qty. 10
EAN	6923933820382
Size	H: 60,3 cm, Ø: 2,8 cm
Material	Glass
Type	Tube
Light source	G13, 9W = Eq. N/AW, Lumen 1150, Kelvin 6500, Life hours 30000, RA 80, Beam angle N/A°, Not dimmable, Voltage 220-240
Energy class	E




T8 LED Tube G13 2250 lumen

Masterbox	Qty. 10
EAN	6923933820399
Size	H: 121,2 cm, Ø: 2,8 cm
Material	Glass
Type	Tube
Light source	G13, 16W = Eq. N/AW, Lumen 2250, Kelvin 4000, Life hours 30000, RA 80, Beam angle N/A°, Not dimmable, Voltage 220-240
Energy class	D




T8 LED Tube G13 2250 lumen

Masterbox	Qty. 10
EAN	6923933820405
Size	H: 121,2 cm, Ø: 2,8 cm
Material	Glass
Type	Tube
Light source	G13, 16W = Eq. N/AW, Lumen 2250, Kelvin 6500, Life hours 30000, RA 80, Beam angle N/A°, Not dimmable, Voltage 220-240
Energy class	D



T8 LED Tube G13 2750 lumen


Masterbox	Qty. 10
EAN	6923933820412
Size	H: 151,3 cm, Ø: 2,8 cm
Material	Glass
Type	Tube
Light source	G13, 22W = Eq. N/AW, Lumen 2750, Kelvin 4000, Life hours 30000, RA 80, Beam angle N/A°, Not dimmable, Voltage 220-240
Energy class	E



T8 LED Tube G13 2750 lumen

Masterbox	Qty. 10
EAN	6923933820429
Size	H: 151,3 cm, Ø: 2,8 cm
Material	Glass
Type	Tube
Light source	G13, 22W = Eq. N/AW, Lumen 2750, Kelvin 6500, Life hours 30000, RA 80, Beam angle N/A°, Not dimmable, Voltage 220-240
Energy class	E

DECO SERIES






Classic Deco A60 E27 400 lumen

Masterbox	Qty. 6
EAN	5704924000003
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Deco
Light source	E27, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	F



Classic Deco ST64 E27 400 lumen

Masterbox	Qty. 6
EAN	5704924000089
Size	H: 14 cm, Ø: 6,4 cm
Material	Glass
Type	Deco
Light source	E27, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	F




Classic Deco C35 E14 400 lumen

Masterbox	Qty. 6
EAN	5704924000133
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Deco
Light source	E14, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	F




Classic Deco C35 E14 400 lumen

Masterbox	Qty. 6
EAN	5704924000157
Size	H: 12,3 cm, Ø: 3,5 cm
Material	Glass
Type	Deco
Light source	E14, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	F



Classic Deco G45 E14 400 lumen

Masterbox	Qty. 6
EAN	5704924000201
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Deco
Light source	E14, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	F



Classic Deco G45 E27 400 lumen

Masterbox	Qty. 6
EAN	5704924000195
Size	H: 7,9 cm, Ø: 4,5 cm
Material	Glass
Type	Deco
Light source	E27, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	F




Classic Deco G95 E27 400 lumen

Masterbox	Qty. 6
EAN	5704924000218
Size	H: 13,7 cm, Ø: 9,5 cm
Material	Glass
Type	Deco
Light source	E27, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	F



Classic Deco G120 E27 400 lumen

Masterbox	Qty. 3
EAN	5704924000256
Size	H: 17,2 cm, Ø: 12,4 cm
Material	Glass
Type	Deco
Light source	E27, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	F



Spiral Deco A60 E27 400 lumen

Masterbox	Qty. 6
EAN	5704924000058
Size	H: 10,8 cm, Ø: 6 cm
Material	Glass
Type	Deco
Light source	E27, 4,9W = Eq. 35W, Lumen 400, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	G



Spiral Deco A60 E27 120 lumen

Masterbox	Qty. 6
EAN	5704924000065
Size	H: 10,8 cm, Ø: 6 cm
Material	Glass
Type	Deco
Light source	E27, 4,5W = Eq. N/AW, Lumen 120, Kelvin 1800, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt




Spiral Deco ST64 E27 400 lumen

Masterbox	Qty. 6
EAN	5704924000096
Size	H: 14 cm, Ø: 6,4 cm
Material	Glass
Type	Deco
Light source	E27, 4,9W = Eq. 35W, Lumen 400, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	G




Spiral Deco ST64 E27 140 lumen

Masterbox	Qty. 6
EAN	5704924000102
Size	H: 14 cm, Ø: 6,4 cm
Material	Glass
Type	Deco
Light source	E27, 4,5W = Eq. 15W, Lumen 140, Kelvin 1800, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt




Spiral Deco C35 E14 200 lumen

Masterbox	Qty. 6
EAN	5704924000140
Size	H: 9,7 cm, Ø: 3,5 cm
Material	Glass
Type	Deco
Light source	E14, 3W = Eq. 21W, Lumen 200, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	G



Spiral Deco C35 E14 200 lumen

Masterbox	Qty. 6
EAN	5704924000164
Size	H: 12,3 cm, Ø: 3,5 cm
Material	Glass
Type	Deco
Light source	E14, 3W = Eq. 21W, Lumen 200, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	G




Spiral Deco T45 E27 400 lumen

Masterbox	Qty. 6
EAN	5704924000171
Size	H: 11 cm, Ø: 4,5 cm
Material	Glass
Type	Deco
Light source	E27, 4,9W = Eq. 35W, Lumen 400, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	G



Spiral Deco T65 E27 600 lumen

Masterbox	Qty. 3
EAN	5704924000294
Size	H: 27 cm, Ø: 6,5 cm
Material	Glass
Type	Deco
Light source	E27, 7W = Eq. 48W, Lumen 600, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	F




Spiral Deco G95 E27 400 lumen

Masterbox	Qty. 6
EAN	5704924000225
Size	H: 14 cm, Ø: 9,5 cm
Material	Glass
Type	Deco
Light source	E27, 4,9W = Eq. 35W, Lumen 400, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	G



Spiral Deco G95 E27 140 lumen

Masterbox	Qty. 6
EAN	5704924000232
Size	H: 14 cm, Ø: 9,5 cm
Material	Glass
Type	Deco
Light source	E27, 4,5W = Eq. 15W, Lumen 140, Kelvin 1800, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Spiral Deco G125 E27 400 lumen

Masterbox	Qty. 3
EAN	5704924000263
Size	H: 17,8 cm, Ø: 12,5 cm
Material	Glass
Type	Deco
Light source	E27, 4,9W = Eq. 35W, Lumen 400, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	G



Spiral Deco G125 E27 140 lumen

Masterbox	Qty. 3
EAN	5704924000270
Size	H: 17,8 cm, Ø: 12,5 cm
Material	Glass
Type	Deco
Light source	E27, 4,5W = Eq. 15W, Lumen 140, Kelvin 1800, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Spiral Deco G200 E27 600 lumen

Masterbox	Qty. 3
EAN	5704924000331
Size	H: 28,3 cm, Ø: 20 cm
Material	Glass
Type	Deco
Light source	E27, 7W = Eq. 48W, Lumen 600, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	F



Spiral Deco G200 E27 200 lumen

Masterbox	Qty. 3
EAN	5704924000348
Size	H: 28,3 cm, Ø: 20 cm
Material	Glass
Type	Deco
Light source	E27, 8,5W = Eq. 21W, Lumen 200, Kelvin 1800, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Spiral Deco PS160 E27 600 lumen

Masterbox	Qty. 3
EAN	5704924000300
Size	H: 29 cm, Ø: 16 cm
Material	Glass
Type	Deco
Light source	E27, 7W = Eq. 48W, Lumen 600, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	F



Spiral Deco PS160 E27 200 lumen

Masterbox	Qty. 3
EAN	5704924000317
Size	H: 29 cm, Ø: 16 cm
Material	Glass
Type	Deco
Light source	E27, 8,5W = Eq. 21W, Lumen 200, Kelvin 1800, Life hours 15000, RA 80, Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco A60 E27 65 lumen

Masterbox	Qty. 6
EAN	5704924000072
Size	H: 11,2 cm, Ø: 6 cm
Material	Glass
Type	Deco
Light source	E27, 2,3W = Eq. N/AW, Lumen 65, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco ST64 E27 120 lumen

Masterbox	Qty. 6
EAN	5704924000119
Size	H: 14,2 cm, Ø: 6,4 cm
Material	Glass
Type	Deco
Light source	E27, 3,5W = Eq. N/AW, Lumen 120, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco T45 E27 120 lumen

Masterbox	Qty. 6
EAN	5704924000188
Size	H: 11,2 cm, Ø: 4,5 cm
Material	Glass
Type	Deco
Light source	E27, 3,5W = Eq. N/AW, Lumen 120, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco G95 E27 120 lumen

Masterbox	Qty. 6
EAN	5704924000249
Size	H: 14,4 cm, Ø: 9,5 cm
Material	Glass
Type	Deco
Light source	E27, 3,5W = Eq. N/AW, Lumen 120, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco G125 E27 120 lumen

Masterbox	Qty. 3
EAN	5704924000287
Size	H: 16,4 cm, Ø: 12,5 cm
Material	Glass
Type	Deco
Light source	E27, 3,5W = Eq. N/AW, Lumen 120, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco A165 E27 120 lumen

Masterbox	Qty. 3
EAN	5704924000324
Size	H: 30,3 cm, Ø: 16,8 cm
Material	Glass
Type	Deco
Light source	E27, 3,5W = Eq. N/AW, Lumen 120, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco T30 E27 65 lumen

Masterbox	Qty. 12
EAN	5704924013324
Size	H: 12,6 cm, Ø: 3 cm
Material	Glass
Type	Deco
Light source	E27, 2,3W = Eq. N/AW, Lumen 65, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco T30 E27 35 lumen

Masterbox	Qty. 12
EAN	5704924013348
Size	H: 12,6 cm, Ø: 3 cm
Material	Glass
Type	Deco
Light source	E27, 2,3W = Eq. N/AW, Lumen 35, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco T30 E27 65 lumen

Masterbox	Qty. 12
EAN	5704924013355
Size	H: 18,5 cm, Ø: 3 cm
Material	Glass
Type	Deco
Light source	E27, 2,3W = Eq. N/AW, Lumen 65, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco T30 E27 35 lumen

Masterbox	Qty. 12
EAN	5704924013362
Size	H: 18,5 cm, Ø: 3 cm
Material	Glass
Type	Deco
Light source	E27, 2,3W = Eq. N/AW, Lumen 35, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco T30 E27 65 lumen

Masterbox	Qty. 12
EAN	5704924013379
Size	H: 12,6 cm, Ø: 3 cm
Material	Glass
Type	Deco
Light source	E27, 2,3W = Eq. N/AW, Lumen 65, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco T30 E27 35 lumen

Masterbox	Qty. 12
EAN	5704924013386
Size	H: 12,6 cm, Ø: 3 cm
Material	Glass
Type	Deco
Light source	E27, 2,3W = Eq. N/AW, Lumen 35, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco T30 E27 65 lumen

Masterbox	Qty. 12
EAN	5704924013409
Size	H: 18,5 cm, Ø: 3 cm
Material	Glass
Type	Deco
Light source	E27, 2,3W = Eq. N/AW, Lumen 65, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco T30 E27 35 lumen

Masterbox	Qty. 12
EAN	5704924013416
Size	H: 18,5 cm, Ø: 3 cm
Material	Glass
Type	Deco
Light source	E27, 2,3W = Eq. N/AW, Lumen 35, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco T30 E27 65 lumen

Masterbox	Qty. 12
EAN	5704924013423
Size	H: 12,6 cm, Ø: 3 cm
Material	Glass
Type	Deco
Light source	E27, 2,3W = Eq. N/AW, Lumen 65, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco T30 E27 35 lumen

Masterbox	Qty. 12
EAN	5704924013430
Size	H: 12,6 cm, Ø: 3 cm
Material	Glass
Type	Deco
Light source	E27, 2,3W = Eq. N/AW, Lumen 35, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco T30 E27 65 lumen

Masterbox	Qty. 12
EAN	5704924013447
Size	H: 18,5 cm, Ø: 3 cm
Material	Glass
Type	Deco
Light source	E27, 2,3W = Eq. N/AW, Lumen 65, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Retro Deco T30 E27 35 lumen

Masterbox	Qty. 12
EAN	5704924013454
Size	H: 18,5 cm, Ø: 3 cm
Material	Glass
Type	Deco
Light source	E27, 2,3W = Eq. N/AW, Lumen 35, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt




Magician Deco G95 E27 180 lumen

Masterbox	Qty. 6
EAN	5400848002351
Size	H: 14 cm, Ø: 9,5 cm
Material	Glass
Type	Deco
Light source	E27, 4W = Eq. 18W, Lumen 180, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Magician Deco G95 E27 200 lumen

Masterbox	Qty. 6
EAN	5400848002436
Size	H: 14 cm, Ø: 9,5 cm
Material	Glass
Type	Deco
Light source	E27, 4W = Eq. 21W, Lumen 200, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt




Magician Deco G95 E27 80 lumen

Masterbox	Qty. 6
EAN	5400848002399
Size	H: 14 cm, Ø: 9,5 cm
Material	Glass
Type	Deco
Light source	E27, 4W = Eq. N/AW, Lumen 80, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt




Magician Deco G95 E27 180 lumen

Masterbox	Qty. 6
EAN	5400848002375
Size	H: 14 cm, Ø: 9,5 cm
Material	Glass
Type	Deco
Light source	E27, 4W = Eq. 19W, Lumen 180, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Magician Deco G95 E27 180 lumen

Masterbox	Qty. 6
EAN	5400848002412
Size	H: 14 cm, Ø: 9,5 cm
Material	Glass
Type	Deco
Light source	E27, 4W = Eq. 19W, Lumen 180, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Magician Deco G200 E27 160 lumen

Masterbox	Qty. 3
EAN	5400848002450
Size	H: 28 cm, Ø: 20 cm
Material	Glass
Type	Deco
Light source	E27, 5W = Eq. 17W, Lumen 160, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt



Magician Deco G200 E27 300 lumen

Masterbox	Qty. 3
EAN	5400848002474
Size	H: 28 cm, Ø: 20 cm
Material	Glass
Type	Deco
Light source	E27, 5W = Eq. 28W, Lumen 300, Kelvin 1800, Life hours 15000, , Beam angle 360°, Dimmable, Voltage 220-240
Energy class	Exempt

Avra Deco Stripes E27 200 lumen

Masterbox	Qty. 6
EAN	5701581344587
Size	H: 17,5 cm, Ø: 12,5 cm
Material	Glass
Type	Deco
Light source	E27, 2W = Eq. 20W, Lumen 200, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	F



Avra Deco Stripes E27 200 lumen

Masterbox	Qty. 6
EAN	5701581344686
Size	H: 17,5 cm, Ø: 12,5 cm
Material	Glass
Type	Deco
Light source	E27, 2W = Eq. 20W, Lumen 200, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	F

Avra Deco Diamond E27 200 lumen

Masterbox	Qty. 6
EAN	5701581344785
Size	H: 14,5 cm, Ø: 10 cm
Material	Glass
Type	Deco
Light source	E27, 2W = Eq. 20W, Lumen 200, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	F



Avra Deco Bamboo E27 200 lumen

Masterbox	Qty. 6
EAN	5701581365988
Size	H: 17,5 cm, Ø: 12,5 cm
Material	Glass
Type	Deco
Light source	E27, 2W = Eq. 20W, Lumen 200, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	F



Avra Deco Square E27 200 lumen

Masterbox	Qty. 6
EAN	5701581366084
Size	H: 17,7 cm, Ø: 12,5 cm
Material	Glass
Type	Deco
Light source	E27, 2W = Eq. 20W, Lumen 200, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	F




Avra Deco Dent E27 200 lumen

Masterbox	Qty. 6
EAN	5701581366183
Size	H: 18 cm, Ø: 12,5 cm
Material	Glass
Type	Deco
Light source	E27, 2W = Eq. 20W, Lumen 200, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	F




Avra Deco Nut E27 200 lumen

Masterbox	Qty. 6
EAN	5701581366282
Size	H: 17,8 cm, Ø: 10 cm
Material	Glass
Type	Deco
Light source	E27, 2W = Eq. 20W, Lumen 200, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	F



Avra Deco Nut E27 150 lumen

Masterbox	Qty. 6
EAN	5701581440081
Size	H: 17,8 cm, Ø: 10 cm
Material	Glass
Type	Deco
Light source	E27, 1,5W = Eq. 16W, Lumen 150, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	F



Avra Deco Dent E27 150 lumen

Masterbox	Qty. 6
EAN	5701581439986
Size	H: 17,5 cm, Ø: 12,5 cm
Material	Glass
Type	Deco
Light source	E27, 1,5W = Eq. 16W, Lumen 150, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	F



Avra Deco Stripes E27 150 lumen


Masterbox	Qty. 6
EAN	5701581439887
Size	H: 17,5 cm, Ø: 12,5 cm
Material	Glass
Type	Deco
Light source	E27, 1,5W = Eq. 16W, Lumen 150, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	F




Avra Deco Stripes E27 150 lumen

Masterbox	Qty. 6
EAN	5701581440180
Size	H: 17,5 cm, Ø: 12,5 cm
Material	Glass
Type	Deco
Light source	E27, 1,5W = Eq. 16W, Lumen 150, Kelvin 2200, Life hours 15000, RA 80, Beam angle 360°, Not dimmable, Voltage 220-240
Energy class	F


SMART SERIES





Smart A60 E27 Tunable White

Masterbox	Qty. 6
EAN	5704924002526
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 4,7W, Lumen 600, Kelvin 2200-6500, Life hours 15000, Beam angle 360°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E



Smart A60 E27 Tunable White

Masterbox	Qty. 5
EAN	5704924013089
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 4,7W, Lumen 600, Kelvin 2200-6500, Life hours 15000, Beam angle 360°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E



Smart A60 E27 Tunable White

Masterbox	Qty. 6
EAN	5704924002533
Size	H: 10,4 cm, Ø: 6 cm
Material	Glass
Type	Filament
Light source	E27, 4,7W, Lumen 560, Kelvin 2200-6500, Life hours 15000, Beam angle 360°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E




Smart G45 E27 Tunable White

Masterbox	Qty. 6
EAN	5704924006357
Size	H: 8 cm, Ø: 4,5 cm
Material	Glass
Type	Filament
Light source	E27, 4,7W, Lumen 600, Kelvin 2200-6500, Life hours 15000, Beam angle 360°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E



Smart G45 E27 Tunable White

Masterbox	Qty. 6
EAN	5704924006364
Size	H: 8 cm, Ø: 4.5 cm
Material	Glass
Type	Filament
Light source	E27, 4,7W, Lumen 560, Kelvin 2200-6500, Life hours 15000, Beam angle 360°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E



Smart G95 E27 Tunable White

Masterbox	Qty. 6
EAN	5704924002540
Size	H: 13,7 cm, Ø: 9.5 cm
Material	Glass
Type	Filament
Light source	E27, 4,7W, Lumen 650, Kelvin 2200-6500, Life hours 15000, Beam angle 360°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	D



Smart A60 E27 Dimmable

Masterbox	Qty. 6
EAN	5704924006869
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 7,5W, Lumen 806, Kelvin 2700, Life hours 15000, Beam angle 240°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	F




Smart A60 E27 Tunable White

Masterbox	Qty. 6
EAN	5704924002496
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 7W, Lumen 900, Kelvin 2200-6500, Life hours 15000, Beam angle 240°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E



Smart A60 E27 Tunable White

Masterbox	Qty. 5
EAN	5704924013096
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 7W, Lumen 900, Kelvin 2200-6500, Life hours 15000, Beam angle 240°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E



Smart Starter kit EU

Masterbox	Qty. 6
EAN	5704924002502
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 7W, Lumen 900, Kelvin 2200-6500, Life hours 15000, Beam angle 240°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E




Smart Starter kit UK

Masterbox	Qty. 6
EAN	5704924002519
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 7W, Lumen 900, Kelvin 2200-6500, Life hours 15000, Beam angle 240°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E




Smart G45 E14 Tunable White

Masterbox	Qty. 6
EAN	5704924001932
Size	H: 8,7 cm, Ø: 4.5 cm
Material	Plastic
Type	SMD
Light source	E14, 4,7W, Lumen 470, Kelvin 2200-6500, Life hours 15000, Beam angle 200°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	F




Smart C35 E14 Dimmable

Masterbox	Qty. 6
EAN	5704924006890
Size	H: 10,7 cm, Ø: 3.5 cm
Material	Plastic
Type	SMD
Light source	E14, 4,7W, Lumen 380, Kelvin 2700, Life hours 15000, Beam angle 300°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	F




Smart C35 E14 Tunable White

Masterbox	Qty. 6
EAN	5704924001949
Size	H: 10,7 cm, Ø: 3.5 cm
Material	Plastic
Type	SMD
Light source	E14, 4,7W, Lumen 450, Kelvin 2200-6500, Life hours 15000, Beam angle 300°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	F




Smart GU10 Tunable White

Masterbox	Qty. 6
EAN	5704924001956
Size	H: 5,5 cm, Ø: 5 cm
Material	Glass
Type	SMD
Light source	GU10, 4,7W, Lumen 380, Kelvin 2200-6500, Life hours 15000, Beam angle 36°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	F




Smart GU10 Dimmable

Masterbox	Qty. 6
EAN	5704924006876
Size	H: 5,5 cm, Ø: 5 cm
Material	Plastic
Type	SMD
Light source	GU10, 4,7W, Lumen 380, Kelvin 2700, Life hours 15000, Beam angle 36°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	F



Smart GU10 Tunable White

Masterbox	Qty. 6
EAN	5704924001963
Size	H: 5,5 cm, Ø: 5 cm
Material	Plastic
Type	SMD
Light source	GU10, 4,8W, Lumen 420, Kelvin 2200-6500, Life hours 15000, Beam angle 36°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	F



Smart GU10 Tunable White

Masterbox	Qty. 5
EAN	5704924013102
Size	H: 5,5 cm, Ø: 5 cm
Material	Plastic
Type	SMD
Light source	GU10, 4,8W, Lumen 420, Kelvin 2200-6500, Life hours 15000, Beam angle 36°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	F



Smart A60 E27 High Heat

Masterbox	Qty. 6
EAN	5704924013072
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 6,5W, Lumen 806, Kelvin 2200-6500, Life hours 25000, Beam angle 240°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E

118 Bulb Collection 2022/2023



Smart GU10 High Heat

Masterbox	Qty. 6
EAN	5704924006333
Size	H: 5,5 cm, Ø: 5 cm
Material	Plastic
Type	SMD
Light source	GU10, 4,2W, Lumen 345, Kelvin 2200-6500, Life hours 20000, Beam angle 36°, Dimmable by Nordlux Smart App,, Voltage 220-240
Energy class	F



Smart A60 E27 Colour

Masterbox	Qty. 6
EAN	5704924006371
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 7W, Lumen 806, Kelvin 2200-6500, Life hours 15000, Beam angle 240°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E



Smart A60 E27 Colour

Masterbox	Qty. 5
EAN	5704924013126
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	E27, 7W, Lumen 806, Kelvin 2200-6500, Life hours 15000, Beam angle 240°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E



Smart A60 B22 Colour

Masterbox	Qty. 6
EAN	5704924013119
Size	H: 10,9 cm, Ø: 6 cm
Material	Plastic
Type	SMD
Light source	B22, 7W, Lumen 806, Kelvin 2200-6500, Life hours 15000, Beam angle 240°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E



Smart G95 E27 Colour

Masterbox	Qty. 3
EAN	5704924006395
Size	H: 12,9 cm, Ø: 9,5 cm
Material	Plastic
Type	SMD
Light source	E27, 8,5W, Lumen 1055, Kelvin 2200-6500, Life hours 15000, Beam angle 240°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	E



Smart GU10 Colour

Masterbox	Qty. 6
EAN	5704924006388
Size	H: 5,5 cm, Ø: 5 cm
Material	Plastic
Type	SMD
Light source	GU10, 4,7W, Lumen 380, Kelvin 2200-6500, Life hours 15000, Beam angle 100°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	F



Smart GU10 Colour

Masterbox	Qty. 5
EAN	5704924013133
Size	H: 5,5 cm, Ø: 5 cm
Material	Plastic
Type	SMD
Light source	GU10, 4,7W, Lumen 380, Kelvin 2200-6500, Life hours 15000, Beam angle 100°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	F



Smart Spiral Deco A60 E27

Masterbox	Qty. 6
EAN	5704924006401
Size	H: 10,5 cm, Ø: 6 cm
Material	Glass
Light source	E27, 4,7W, Lumen 380, Kelvin 2200, Life hours 15000, Beam angle 360°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	G



Smart Spiral Deco A60 E27

Masterbox	Qty. 6
EAN	5704924013140
Size	H: 10,5 cm, Ø: 6 cm
Material	Glass
Light source	E27, Kelvin 1800, Life hours 15000, Beam angle 360°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	



Smart Spiral Deco ST64 E27

Masterbox	Qty. 6
EAN	5704924006418
Size	H: 14 cm, Ø: 6.4 cm
Material	Glass
Light source	E27, 4,7W, Lumen 380, Kelvin 2200, Life hours 15000, Beam angle 360°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	G



Smart Spiral Deco ST64 E27

Masterbox	Qty. 6
EAN	5704924013157
Size	H: 14 cm, Ø: 6.4 cm
Material	Glass
Light source	E27, Kelvin 1800, Life hours 15000, Beam angle 360°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	



Smart Spiral Deco G95 E27

Masterbox	Qty. 3
EAN	5704924006425
Size	H: 13,7 cm, Ø: 9.5 cm
Material	Glass
Light source	E27, 4,7W, Lumen 380, Kelvin 2200, Life hours 15000, Beam angle 360°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	G



Smart Spiral Deco G95 E27

Masterbox	Qty. 3
EAN	5704924013171
Size	H: 13,7 cm, Ø: 9.5 cm
Material	Glass
Light source	E27, Kelvin 1800, Life hours 15000, Beam angle 360°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	



Smart Spiral Deco G200 E27


Masterbox	Qty. 3
EAN	5704924006432
Size	H: 26 cm, Ø: 20 cm
Material	Glass
Light source	E27, 4,7W , Lumen 380, Kelvin 2200, Life hours 15000, Beam angle 360°, Dimmable by Nordlux Smart App, Voltage 220-240
Energy class	G



Smart Spiral Deco G200 E27

Masterbox	Qty. 3
EAN	5704924013164
Size	H: 26 cm, Ø: 20 cm
Material	Glass
Light source	E27, Kelvin 1800, Life hours 15000, Beam angle 360°, Voltage 220-240
Energy class	

Lightsource information



Kelvin

(K) is the colour temperature of the light source- the higher number the colder light.

2700 K = warm white

4000 K = cold white

GB - The LED technology is constantly undergoing major development which contributes to continuous arrival of new and better LED bulbs on the market. Nordlux always strives to deliver the latest LED technology to our customers, which is why when purchasing lighting or bulbs, the new bulbs can seem different, with improved colour/ light output/design.

*For additional bulb info please go to www.nordlux.com.

DK - LED er til stadighed under en betydelig udviklingsproces, som bevirker, at der med stor hyppighed kommer nye og bedre LED pærer på markedet. Nordlux bestræber sig på altid at levere den nyeste LED teknik til vores kunder, hvorfor man ved genkøb af lamper og ved tilkøb af pærer kan opleve, at de nye pærer har anderledes og forbedret farve/lysudbytte/udformning.

*For supplerende pæreoplysninger gå venligst til www.nordlux.com

Lumen

(lm) is the measurement unit for luminous flux. Luminous flux is the total amount of light that the light source submits.

SE - LED är fortfarande under en betydande utvecklingsprocess, som bidrar till att det i snabb takt kommer nya och bättre LED lampor på marknaden. Nordlux strävar efter att leverera den senaste LED-tekniken till sina kunder, därför kan man vid återköp eller vid köp av nya lampor uppleva att de nya lamporna har en annorlunda och förbättrad färg/ljusflöde/utformning.

*För ytterligare information angående ljuskälla vänligen gå till www.nordlux.com

FR - LED est constamment en développement important, ce qui a pour effet d'amener très fréquemment de nouvelles ampoules LED améliorées sur le marché. Nordlux s'efforce de toujours fournir la dernière technologie LED à nos clients ; c'est pourquoi, lorsque vous rachetez des lampes et acquérez des ampoules, vous pouvez trouver que les nouvelles ampoules ont une couleur/une sortie de lumière/un design différents et améliorés.

*Pour plus d'informations concernant l'ampoule merci de visiter www.nordlux.com.

CRI/RA

is the colour rendering index or RA value, which indicates how close the light is to natural light.

DE - LED unterliegt ständig einem bedeutenden Entwicklungsprozess, durch den mit großer Geschwindigkeit neue und bessere LED-Lampen auf den Markt kommen. Nordlux ist bestrebt, Ihren Kunden immer die neueste LED-Technik anzubieten, wodurch man beim Neukauf von Leuchten und Nachkauf von Leuchtmitteln erleben kann, dass die neuen Leuchtmittel eine andere und verbesserte Farbe, Lichtausbeute und Form haben. *Für weitere Informationen gehen Sie bitte zu Leuchtmittel www.nordlux.com.

BX - De Led technologie ondergaat een continue verbetering die bijdraagt tot nieuwe generaties LED lampen. Nordlux streeft ernaar die nieuwste technologie aan te bieden aan zijn klanten. De verbeterde technologie zorgt voor kleine veranderingen in de verlichtingsarmaturen en lampen ten voordele van een verbeterde lichtopbrengst, verbeterde kleur-echtheid en design.

*For additional bulb info please go to www.nordlux.com.

Product index

2022

2023

Model	Item Number	Color	Material	Dimmable	Ean	Colli	Page
A60 E27 Filament 250 lumen	5181000121	Clear	Glass	Not dimmable	6923933813599	Qty. 6	8
A60 E27 Filament 470 lumen	5181000921	Clear	Glass	Not dimmable	6923933818198	Qty. 6	8
A60 E27 Filament 470 lumen	5181000923	Clear	Glass	Not dimmable	6923933819676	Qty. 5	128
A60 B22 Filament 470 lumen	5181001021	Clear	Glass	Not dimmable	6923933819867	Qty. 6	8
A60 E27 Filament 500 lumen	5181010321	Clear	Glass	Not dimmable	6923933819683	Qty. 6	9
A60 E27 Filament 500 lumen	5181010323	Clear	Glass	Not dimmable	6923933819690	Qty. 5	9
A60 E27 Filament 806 lumen	5181000321	Clear	Glass	Not dimmable	6923933818204	Qty. 6	9
A60 E27 Filament 806 lumen	5181000323	Clear	Glass	Not dimmable	6923933819706	Qty. 5	9
A60 B22 Filament 806 lumen	5181000421	Clear	Glass	Not dimmable	6923933819874	Qty. 6	10
A60 B22 Filament 806 lumen	5181000423	Clear	Glass	Not dimmable	6923933819881	Qty. 5	10
A60 E27 Filament 806 lumen	5181003621	Clear	Glass	Dimmable	6923933818259	Qty. 6	10
A60 E27 Filament 860 lumen	5181003321	Clear	Glass	Not dimmable	6923933818211	Qty. 6	10
A60 E27 Filament 860 lumen	5181003323	Clear	Glass	Not dimmable	6923933819713	Qty. 5	11
A60 B22 Filament 860 lumen	5181010721	Clear	Glass	Not dimmable	6923933819898	Qty. 6	11
A60 B22 Filament 860 lumen	5181010723	Clear	Glass	Not dimmable	6923933819904	Qty. 5	11
A60 E27 Filament 1055 lumen	5181001321	Clear	Glass	Not dimmable	6923933814107	Qty. 6	11
A60 E27 Filament 1055 lumen	5181001323	Clear	Glass	Not dimmable	6923933819720	Qty. 5	12
A60 E27 Filament 1055 lumen	5181006521	Clear	Glass	Dimmable	6923933814138	Qty. 6	12
A60 E27 Filament 1150 lumen	5181011021	Clear	Glass	Not dimmable	6923933816965	Qty. 6	12
A60 E27 Filament 1150 lumen	5181011023	Clear	Glass	Not dimmable	6923933819737	Qty. 5	12
A60 E27 Filament 1150 lumen	5181011221	Clear	Glass	Dimmable	6923933819744	Qty. 6	13
A60 B22 Filament 1521 lumen	5211027421	Clear	Glass	Not dimmable	6923933820498	Qty. 6	13
A60 B22 Filament 1521 lumen	5211027423	Clear	Glass	Not dimmable	6923933820504	Qty. 5	13
A60 E27 Filament 1521 lumen	5211020921	Clear	Glass	Dimmable	6923933820559	Qty. 6	13
A60 B22 Filament 1620 lumen	5211029721	Clear	Glass	Not dimmable	6923933820511	Qty. 6	14
A60 B22 Filament 1620 lumen	5211029723	Clear	Glass	Not dimmable	6923933820528	Qty. 5	14
A60 E27 Filament 1620 lumen	5211027921	Clear	Glass	Dimmable	6923933820337	Qty. 6	14
A60 E27 Filament 485 lumen	5221030121	Clear	Glass	Not dimmable	6923933821129	Qty. 6	14
A60 E27 Filament 840 lumen	5221030321	Clear	Glass	Not dimmable	6923933821136	Qty. 6	15
A60 E27 Filament 250 lumen	5181020921	Milky	Glass	Not dimmable	6923933818297	Qty. 6	15
A60 E27 Filament 470 lumen	5181021121	Milky	Glass	Not dimmable	6923933818303	Qty. 6	15
A60 E27 Filament 470 lumen	5191001721	Milky	Glass	Not dimmable	6923933819751	Qty. 6	15
A60 E27 Filament 806 lumen	5181021321	Milky	Glass	Not dimmable	6923933818310	Qty. 6	16
A60 E27 Filament 806 lumen	5181021323	Milky	Glass	Not dimmable	6923933819768	Qty. 5	16
A60 B22 Filament 806 lumen	5181021421	Milky	Glass	Not dimmable	6923933818334	Qty. 6	16
A60 E27 Filament 806 lumen	5181023121	Milky	Glass	Dimmable	6923933818389	Qty. 6	16
A60 E27 Filament 806 lumen	5191001821	Milky	Glass	Not dimmable	6923933817085	Qty. 6	17
A60 E27 Filament 806 lumen	5191001823	Milky	Glass	Not dimmable	6923933819775	Qty. 5	17
A60 B22 Filament 806 lumen	5191002121	Milky	Glass	Not dimmable	6923933819959	Qty. 6	17
A60 E27 Filament 1055 lumen	5181021521	Milky	Glass	Not dimmable	6923933818341	Qty. 6	17

Model	Item Number	Color	Material	Dimmable	Ean	Colli	Page
A60 E27 Filament 1055 lumen	5181021523	Milky	Glass	Not dimmable	6923933819782	Qty. 5	18
A60 B22 Filament 1055 lumen	5181021621	Milky	Glass	Not dimmable	6923933818365	Qty. 6	18
A60 E27 Filament 1055 lumen	5181023321	Milky	Glass	Dimmable	6923933818372	Qty. 6	18
A60 E27 Filament 1055 lumen	5191002021	Milky	Glass	Not dimmable	6923933817092	Qty. 6	18
A60 E27 Filament 1055 lumen	5191002023	Milky	Glass	Not dimmable	6923933819799	Qty. 5	19
A60 E27 Filament 1055 lumen	5181023721	Milky	Glass	Dimmable	6923933819805	Qty. 6	19
A60 B22 Filament 1521 lumen	5211027621	Milky	Glass	Not dimmable	6923933820535	Qty. 6	19
A60 E27 Filament 1521 lumen	5211022721	Milky	Glass	Dimmable	6923933820283	Qty. 6	19
A60 E27 Filament 1521 lumen	5211033021	Milky	Glass	Not dimmable	6923933821068	Qty. 6	20
A60 B22 Filament 1521 lumen	5211029821	Milky	Glass	Not dimmable	6923933820542	Qty. 6	20
A60 E27 Filament 1521 lumen	5211028021	Milky	Glass	Dimmable	6923933820290	Qty. 6	20
G45 E14 Filament 140 lumen	5182015721	Clear	Glass	Not dimmable	6923933815357	Qty. 6	24
G45 E27 Filament 140 lumen	5182015821	Clear	Glass	Not dimmable	6923933815364	Qty. 6	24
G45 E14 Filament 250 lumen	5182000921	Clear	Glass	Not dimmable	6923933814039	Qty. 6	24
G45 E27 Filament 250 lumen	5182001121	Clear	Glass	Not dimmable	6923933814046	Qty. 6	24
G45 B22 Filament 250 lumen	5182000421	Clear	Glass	Not dimmable	6923933819812	Qty. 6	25
G45 E27 Filament 270 lumen	5182016521	Clear	Glass	Not dimmable	6923933819621	Qty. 6	25
G45 E14 Filament 470 lumen	5182000121	Clear	Glass	Not dimmable	6923933813568	Qty. 6	25
G45 E14 Filament 470 lumen	5182000123	Clear	Glass	Not dimmable	6923933820009	Qty. 5	25
G45 E27 Filament 470 lumen	5182000321	Clear	Glass	Not dimmable	6923933813575	Qty. 6	26
G45 B22 Filament 470 lumen	5182001221	Clear	Glass	Not dimmable	6923933819829	Qty. 6	26
G45 E27 Filament 470 lumen	5182006321	Clear	Glass	Dimmable	6923933813483	Qty. 6	26
G45 E14 Filament 500 lumen	5182007821	Clear	Glass	Not dimmable	6923933817337	Qty. 6	26
G45 E14 Filament 500 lumen	5182007823	Clear	Glass	Not dimmable	6923933820016	Qty. 5	27
G45 E27 Filament 500 lumen	5182003721	Clear	Glass	Not dimmable	6923933817146	Qty. 6	27
G45 E27 Filament 806 lumen	5192001921	Clear	Glass	Not dimmable	6923933818648	Qty. 6	27
G45 E27 Filament 860 lumen	5192006521	Clear	Glass	Not dimmable	6923933818655	Qty. 6	27
G45 E14 Filament 140 lumen	5182001721	Milky	Glass	Not dimmable	6923933814237	Qty. 6	28
G45 E27 Filament 140 lumen	5182001921	Milky	Glass	Not dimmable	6923933814398	Qty. 6	28
G45 E14 Filament 250 lumen	5182014121	Milky	Glass	Not dimmable	6923933818686	Qty. 6	28
G45 E27 Filament 250 lumen	5182014321	Milky	Glass	Not dimmable	6923933818693	Qty. 6	28
G45 E14 Filament 470 lumen	5182014521	Milky	Glass	Not dimmable	6923933818709	Qty. 6	29
G45 E14 Filament 470 lumen	5182014523	Milky	Glass	Not dimmable	6923933820023	Qty. 5	29
G45 E27 Filament 470 lumen	5182014721	Milky	Glass	Not dimmable	6923933818723	Qty. 6	29
G45 E27 Filament 470 lumen	5182015521	Milky	Glass	Dimmable	6923933818730	Qty. 6	29
G45 E14 Filament 470 lumen	5192003321	Milky	Glass	Not dimmable	6923933818716	Qty. 6	30
G45 E14 Filament 470 lumen	5192003323	Milky	Glass	Not dimmable	6923933820030	Qty. 5	30
G45 E27 Filament 470 lumen	5192003521	Milky	Glass	Not dimmable	6923933818747	Qty. 6	30
G45 E14 Filament 806 lumen	5192002121	Milky	Glass	Not dimmable	6923933820047	Qty. 6	30
G45 E27 Filament 806 lumen	5192002321	Milky	Glass	Not dimmable	6923933818754	Qty. 6	31

Model	Item Number	Color	Material	Dimmable	Ean	Colli	Page
G45 E14 Filament 806 lumen	5192007221	Milky	Glass	Not dimmable	6923933820054	Qty. 6	31
G45 E27 Filament 806 lumen	5192006821	Milky	Glass	Not dimmable	6923933818761	Qty. 6	31
C35 E14 Filament 140 lumen	5183014021	Clear	Glass	Not dimmable	6923933815319	Qty. 6	34
C35 E14 Filament 250 lumen	5183000121	Clear	Glass	Not dimmable	6923933813124	Qty. 6	34
C35 E27 Filament 250 lumen	5183000321	Clear	Glass	Not dimmable	6923933819638	Qty. 6	34
C35 B22 Filament 250 lumen	5183000421	Clear	Glass	Not dimmable	6923933819836	Qty. 6	34
C35 E14 Filament 270 lumen	5183018821	Clear	Glass	Not dimmable	6923933820085	Qty. 6	35
C35 E14 Filament 470 lumen	5183001521	Clear	Glass	Not dimmable	6923933814077	Qty. 6	35
C35 E14 Filament 470 lumen	5183001523	Clear	Glass	Not dimmable	6923933820092	Qty. 5	35
C35 E27 Filament 470 lumen	5183001721	Clear	Glass	Not dimmable	6923933819645	Qty. 6	35
C35 B22 Filament 470 lumen	5183001821	Clear	Glass	Not dimmable	6923933819843	Qty. 6	36
C35 E14 Filament 470 lumen	5183005421	Clear	Glass	Dimmable	6923933813117	Qty. 6	36
C35 E14 Filament 500 lumen	5183005321	Clear	Glass	Not dimmable	6923933817115	Qty. 6	36
C35 E14 Filament 806 lumen	5283018721	Clear	Glass	Not dimmable	6923933818464	Qty. 6	36
C35 E14 Filament 860 lumen	5283018821	Clear	Glass	Not dimmable	6923933818471	Qty. 6	37
C35 E14 Filament 140 lumen	5183002921	Milky	Glass	Not dimmable	6923933814329	Qty. 6	37
C35 E14 Filament 250 lumen	5183015921	Milky	Glass	Not dimmable	6923933818495	Qty. 6	37
C35 E27 Filament 250 lumen	5183016121	Milky	Glass	Not dimmable	6923933819652	Qty. 6	37
C35 E14 Filament 250 lumen	5193002821	Milky	Glass	Not dimmable	6923933820108	Qty. 6	38
C35 E14 Filament 470 lumen	5183016321	Milky	Glass	Not dimmable	6923933818501	Qty. 6	38
C35 E14 Filament 470 lumen	5183016323	Milky	Glass	Not dimmable	6923933820115	Qty. 5	38
C35 E27 Filament 470 lumen	5183016521	Milky	Glass	Not dimmable	6923933819669	Qty. 6	38
C35 B22 Filament 470 lumen	5183016621	Milky	Glass	Not dimmable	6923933819850	Qty. 6	39
C35 E14 Filament 470 lumen	5183017921	Milky	Glass	Dimmable	6923933818518	Qty. 6	39
C35 E14 Filament 470 lumen	5193003221	Milky	Glass	Not dimmable	6923933818525	Qty. 6	39
C35 E14 Filament 806 lumen	5193002421	Milky	Glass	Not dimmable	6923933818532	Qty. 6	39
C35 E14 Filament 806 lumen	5193006021	Milky	Glass	Not dimmable	6923933818549	Qty. 6	40
G95 E27 Filament 1521 lumen	5216000121	Clear	Glass	Dimmable	6923933820306	Qty. 3	44
G95 E27 Filament 1055 lumen	5196000721	Milky	Glass	Dimmable	6923933816910	Qty. 6	44
G95 E27 Filament 1521 lumen	5216001121	Milky	Glass	Dimmable	6923933820313	Qty. 3	44
G120 E27 Filament 1521 lumen	5196002021	Clear	Glass	Not dimmable	6923933817184	Qty. 3	45
G120 E27 Filament 1521 lumen	5196002821	Milky	Glass	Not dimmable	6923933817207	Qty. 3	45
T25 E14 Filament 100 lumen	5167003521	Clear	Glass	Not dimmable	6923933812578	Qty. 8	48
T25 E14 Filament 250 lumen	5187000121	Clear	Glass	Not dimmable	6923933813544	Qty. 8	48
T25 E14 Filament 470 lumen	5187000321	Clear	Glass	Not dimmable	6923933814008	Qty. 6	48
A60 E27 SMD 470 lumen	5171013321	Frosted	Plastic	Not dimmable	6923933817702	Qty. 6	52
A60 E27 SMD 470 lumen	5171013323	Frosted	Plastic	Not dimmable	6923933817818	Qty. 5	52
A60 E27 SMD 470 lumen	5181014923	Frosted	Plastic	Not dimmable	6923933817801	Qty. 5	52
A60 E27 SMD 806 lumen	5171013521	Frosted	Plastic	Not dimmable	6923933817856	Qty. 6	52
A60 E27 SMD 806 lumen	5171013523	Frosted	Plastic	Not dimmable	6923933817832	Qty. 5	53

Model	Item Number	Color	Material	Dimmable	Ean	Colli	Page
A60 E27 SMD 806 lumen	5181015523	Frosted	Plastic	Not dimmable	6923933817849	Qty. 5	53
A60 E27 SMD 1055 lumen	5171013721	Frosted	Plastic	Not dimmable	6923933817719	Qty. 6	53
A60 E27 SMD 1055 lumen	5171013723	Frosted	Plastic	Not dimmable	6923933817863	Qty. 5	53
A60 E27 SMD 1521 lumen	5197001021	Frosted	Plastic	Not dimmable	6923933817894	Qty. 6	54
A60 E27 SMD 1521 lumen	5197001023	Frosted	Plastic	Not dimmable	6923933817887	Qty. 5	54
G45 E14 SMD 250 lumen	5172013921	Frosted	Plastic	Not dimmable	6923933817917	Qty. 6	58
G45 E14 SMD 250 lumen	5172013923	Frosted	Plastic	Not dimmable	6923933817900	Qty. 5	58
G45 E27 SMD 250 lumen	5172014021	Frosted	Plastic	Not dimmable	6923933817931	Qty. 6	58
G45 E27 SMD 250 lumen	5172014023	Frosted	Plastic	Not dimmable	6923933817924	Qty. 5	58
G45 E14 SMD 470 lumen	5172014321	Frosted	Plastic	Not dimmable	6923933817962	Qty. 6	59
G45 E14 SMD 470 lumen	5172014323	Frosted	Plastic	Not dimmable	6923933817948	Qty. 5	59
G45 E27 SMD 470 lumen	5172014421	Frosted	Plastic	Not dimmable	6923933813551	Qty. 6	59
G45 E27 SMD 470 lumen	5172014423	Frosted	Plastic	Not dimmable	6923933817955	Qty. 5	59
G45 E27 SMD 806 lumen	5172003921	Frosted	Plastic	Not dimmable	6923933814770	Qty. 6	60
G45 E27 SMD 806 lumen	5172003923	Frosted	Plastic	Not dimmable	6923933817979	Qty. 5	60
C35 E14 SMD 250 lumen	5173018921	Frosted	Plastic	Not dimmable	6923933818112	Qty. 6	64
C35 E14 SMD 250 lumen	5173018923	Frosted	Plastic	Not dimmable	6923933818129	Qty. 5	64
C35 E14 SMD 470 lumen	5173019321	Frosted	Plastic	Not dimmable	6923933817726	Qty. 6	64
C35 E14 SMD 470 lumen	5173019323	Frosted	Plastic	Not dimmable	6923933818143	Qty. 5	64
G4 SMD 136 lumen	5155101521	Clear	Ceramic	Not dimmable	6923933820207	Qty. 6	68
G4 SMD 136 lumen	5155101523	Clear	Ceramic	Not dimmable	6923933820214	Qty. 16	68
G4 SMD 180 lumen	5195000621	Clear	Silicon	Not dimmable	6923933818150	Qty. 6	68
G9 SMD 400 lumen	5195000221	Clear	Ceramic	Not dimmable	6923933817733	Qty. 6	69
G9 SMD 350 lumen	5185000321	Clear	Ceramic	Dimmable	6923933820320	Qty. 6	69
G9 SMD 370 lumen	5195000321	Frosted	Ceramic	Not dimmable	6923933818167	Qty. 6	69
A60 E27 SMD 396 lumen	5181014521	Flame	Plastic	Not dimmable	6923933817771	Qty. 6	72
G45 E27 SMD 215 lumen	5182003421	Flame	Plastic	Not dimmable	6923933814213	Qty. 6	72
G45 E14 SMD 215 lumen	5182003321	Flame	Plastic	Not dimmable	6923933813896	Qty. 6	72
A60 E27 SMD 806 lumen	5161009021	Frosted	Plastic	Not dimmable	6923933809639	Qty. 6	76
GU10 Glass Housing 230 lumen	5174008521	Glass Housing	Glass	Not dimmable	6923933817993	Qty. 6	80
GU10 Glass Housing 230 lumen	5174008523	Glass Housing	Glass	Not dimmable	6923933820436	Qty. 5	80
GU10 Glass Housing 345 lumen	5174008621	Glass Housing	Glass	Not dimmable	6923933818006	Qty. 6	80
GU10 Glass Housing 345 lumen	5174008623	Glass Housing	Glass	Not dimmable	6923933820122	Qty. 5	80
GU10 Glass Housing 345 lumen	5164003721	Glass Housing	Glass	Dimmable	6923933812462	Qty. 6	81
GU10 Glass Housing 345 lumen	5164003723	Glass Housing	Glass	Dimmable	6923933812691	Qty. 5	81
GU10 Glass Housing 345 lumen	5184003621	Glass Housing	Glass	Not dimmable	6923933818013	Qty. 6	81
GU10 Glass Housing 345 lumen	5184003623	Glass Housing	Glass	Not dimmable	6923933820139	Qty. 5	81
GU10 Glass Housing 345 lumen	5164005421	Glass Housing	Glass	Dimmable	6923933817740	Qty. 6	82
GU10 Glass Housing 450 lumen	5164003221	Glass Housing	Glass	Not dimmable	6923933814749	Qty. 6	82
GU10 Glass Housing 450 lumen	5164003223	Glass Housing	Glass	Not dimmable	6923933820184	Qty. 5	82

Model	Item Number	Color	Material	Dimmable	Ean	Colli	Page
GU10 Glass Housing 450 lumen	5164005621	Glass Housing	Glass	Not dimmable	6923933817269	Qty. 6	82
GU10 Glass Housing 450 lumen	5164005623	Glass Housing	Glass	Not dimmable	6923933820191	Qty. 5	83
GU10 Glass Housing 450 lumen	5184002821	Glass Housing	Glass	Dimmable	6923933817276	Qty. 6	83
GU10 White Housing 230 lumen	5174008823	White Housing	Plastic	Not dimmable	6923933818051	Qty. 5	83
GU10 White Housing 345 lumen	5174008923	White Housing	Plastic	Not dimmable	6923933818068	Qty. 5	83
GU10 White Housing 540 lumen	5214008423	White Housing	Plastic	Dimmable	6923933821110	Qty. 5	84
PAR20 E27 Glass Housing 500 lumen	5020160921IOS	Glass Housing	Glass	Dimmable	6923933820221	Qty. 6	89
R50 E14 Glass Housing 250 lumen	5194001821	Glass Housing	Glass	Dimmable	6923933818082	Qty. 6	88
R63 E27 Glass Housing 207 lumen	5194002021	Glass Housing	Glass	Not dimmable	6923933820061	Qty. 6	88
R63 E27 Glass Housing 345 lumen	5194002421	Glass Housing	Glass	Dimmable	6923933818099	Qty. 6	88
R80 E27 Glass Housing 345 lumen	5194002621	Glass Housing	Glass	Not dimmable	6923933820078	Qty. 6	88
T8 LED Tube G13 1150 lumen	4211000121	Milky	Glass	Not dimmable	6923933820375	Qty. 10	92
T8 LED Tube G13 1150 lumen	4211000221	Milky	Glass	Not dimmable	6923933820382	Qty. 10	92
T8 LED Tube G13 2250 lumen	4211000321	Milky	Glass	Not dimmable	6923933820399	Qty. 10	92
T8 LED Tube G13 2250 lumen	4211000421	Milky	Glass	Not dimmable	6923933820405	Qty. 10	92
T8 LED Tube G13 2750 lumen	4211000521	Milky	Glass	Not dimmable	6923933820412	Qty. 10	93
T8 LED Tube G13 2750 lumen	4211000621	Milky	Glass	Not dimmable	6923933820429	Qty. 10	93
Classic Deco A60 E27 400 lumen	2080012758	Gold	Glass	Dimmable	5704924000003	Qty. 6	96
Classic Deco ST64 E27 400 lumen	2080052758	Gold	Glass	Dimmable	5704924000089	Qty. 6	96
Classic Deco C35 E14 400 lumen	2080091458	Gold	Glass	Dimmable	5704924000133	Qty. 6	96
Classic Deco C35 E14 400 lumen	2080111458	Gold	Glass	Dimmable	5704924000157	Qty. 6	96
Classic Deco G45 E14 400 lumen	2080161458	Gold	Glass	Dimmable	5704924000201	Qty. 6	97
Classic Deco G45 E27 400 lumen	2080152758	Gold	Glass	Dimmable	5704924000195	Qty. 6	97
Classic Deco G95 E27 400 lumen	2080172758	Gold	Glass	Dimmable	5704924000218	Qty. 6	97
Classic Deco G120 E27 400 lumen	2080212758	Gold	Glass	Dimmable	5704924000256	Qty. 3	97
Spiral Deco A60 E27 400 lumen	2080022758	Gold	Glass	Dimmable	5704924000058	Qty. 6	98
Spiral Deco A60 E27 120 lumen	2080032747	Smoked	Glass	Dimmable	5704924000065	Qty. 6	98
Spiral Deco ST64 E27 400 lumen	2080062758	Gold	Glass	Dimmable	5704924000096	Qty. 6	98
Spiral Deco ST64 E27 140 lumen	2080072747	Smoked	Glass	Dimmable	5704924000102	Qty. 6	98
Spiral Deco C35 E14 200 lumen	2080101458	Gold	Glass	Dimmable	5704924000140	Qty. 6	99
Spiral Deco C35 E14 200 lumen	2080121458	Gold	Glass	Dimmable	5704924000164	Qty. 6	99
Spiral Deco T45 E27 400 lumen	2080132758	Gold	Glass	Dimmable	5704924000171	Qty. 6	99
Spiral Deco T65 E27 600 lumen	2080252758	Gold	Glass	Dimmable	5704924000294	Qty. 3	99
Spiral Deco G95 E27 400 lumen	2080182758	Gold	Glass	Dimmable	5704924000225	Qty. 6	100
Spiral Deco G95 E27 140 lumen	2080192747	Smoked	Glass	Dimmable	5704924000232	Qty. 6	100
Spiral Deco G125 E27 400 lumen	2080222758	Gold	Glass	Dimmable	5704924000263	Qty. 3	100
Spiral Deco G125 E27 140 lumen	2080232747	Smoked	Glass	Dimmable	5704924000270	Qty. 3	100
Spiral Deco G200 E27 600 lumen	2080292758	Gold	Glass	Dimmable	5704924000331	Qty. 3	101
Spiral Deco G200 E27 200 lumen	2080302747	Smoked	Glass	Dimmable	5704924000348	Qty. 3	101
Spiral Deco PS160 E27 600 lumen	2080262758	Gold	Glass	Dimmable	5704924000300	Qty. 3	101

Model	Item Number	Color	Material	Dimmable	Ean	Colli	Page
Spiral Deco PS160 E27 200 lumen	2080272747	Smoked	Glass	Dimmable	5704924000317	Qty. 3	101
Retro Deco A60 E27 65 lumen	2080042758	Gold	Glass	Dimmable	5704924000072	Qty. 6	102
Retro Deco ST64 E27 120 lumen	2080082758	Gold	Glass	Dimmable	5704924000119	Qty. 6	102
Retro Deco T45 E27 120 lumen	2080142758	Gold	Glass	Dimmable	5704924000188	Qty. 6	102
Retro Deco G95 E27 120 lumen	2080202758	Gold	Glass	Dimmable	5704924000249	Qty. 6	102
Retro Deco G125 E27 120 lumen	2080242758	Gold	Glass	Dimmable	5704924000287	Qty. 3	103
Retro Deco A165 E27 120 lumen	2080282758	Gold	Glass	Dimmable	5704924000324	Qty. 3	103
Retro Deco T30 E27 65 lumen	2290052758	Gold	Glass	Dimmable	5704924013324	Qty. 12	103
Retro Deco T30 E27 35 lumen	2290052747	Smoked	Glass	Dimmable	5704924013348	Qty. 12	103
Retro Deco T30 E27 65 lumen	2290062758	Gold	Glass	Dimmable	5704924013355	Qty. 12	104
Retro Deco T30 E27 35 lumen	2290062747	Smoked	Glass	Dimmable	5704924013362	Qty. 12	104
Retro Deco T30 E27 65 lumen	2290072758	Gold	Glass	Dimmable	5704924013379	Qty. 12	104
Retro Deco T30 E27 35 lumen	2290072747	Smoked	Glass	Dimmable	5704924013386	Qty. 12	104
Retro Deco T30 E27 65 lumen	2290082758	Gold	Glass	Dimmable	5704924013409	Qty. 12	105
Retro Deco T30 E27 35 lumen	2290082747	Smoked	Glass	Dimmable	5704924013416	Qty. 12	105
Retro Deco T30 E27 65 lumen	2290092758	Gold	Glass	Dimmable	5704924013423	Qty. 12	105
Retro Deco T30 E27 35 lumen	2290092747	Smoked	Glass	Dimmable	5704924013430	Qty. 12	105
Retro Deco T30 E27 65 lumen	2290102748	Gold	Glass	Dimmable	5704924013447	Qty. 12	106
Retro Deco T30 E27 35 lumen	2290102747	Smoked	Glass	Dimmable	5704924013454	Qty. 12	106
Magician Deco G95 E27 180 lumen	2020070201	Black	Glass	Dimmable	5400848002351	Qty. 6	106
Magician Deco G95 E27 200 lumen	2020070205	Silver	Glass	Dimmable	5400848002436	Qty. 6	106
Magician Deco G95 E27 80 lumen	2020070203	Mattgold	Glass	Dimmable	5400848002399	Qty. 6	107
Magician Deco G95 E27 180 lumen	2020070202	Black	Glass	Dimmable	5400848002375	Qty. 6	107
Magician Deco G95 E27 180 lumen	2020070204	Mattgold	Glass	Dimmable	5400848002412	Qty. 6	107
Magician Deco G200 E27 160 lumen	2020070206	Black	Glass	Dimmable	5400848002450	Qty. 3	107
Magician Deco G200 E27 300 lumen	2020070207	Black	Glass	Dimmable	5400848002474	Qty. 3	108
Avra Deco Stripes E27 200 lumen	1421070	Clear	Glass	Not dimmable	5701581344587	Qty. 6	108
Avra Deco Stripes E27 200 lumen	1422070	Gold	Glass	Not dimmable	5701581344686	Qty. 6	108
Avra Deco Diamond E27 200 lumen	1423070	Clear	Glass	Not dimmable	5701581344785	Qty. 6	108
Avra Deco Bamboo E27 200 lumen	1427070	Smoked	Glass	Not dimmable	5701581365988	Qty. 6	109
Avra Deco Square E27 200 lumen	1428070	Gold	Glass	Not dimmable	5701581366084	Qty. 6	109
Avra Deco Dent E27 200 lumen	1429070	Smoked	Glass	Not dimmable	5701581366183	Qty. 6	109
Avra Deco Nut E27 200 lumen	1430070	Gold	Glass	Not dimmable	5701581366282	Qty. 6	109
Avra Deco Stripes E27 150 lumen	1438070	Gold	Glass	Not dimmable	5701581439887	Qty. 6	110
Avra Deco Dent E27 150 lumen	1439070	Gold	Glass	Not dimmable	5701581439986	Qty. 6	110
Avra Deco Nut E27 150 lumen	1440070	Gold	Glass	Not dimmable	5701581440081	Qty. 6	110
Avra Deco Stripes E27 150 lumen	1441070	Clear	Glass	Not dimmable	5701581440180	Qty. 6	110
Smart A60 E27 Tunable White	2070082700	Clear	Glass	Dimmable by app	5704924002526	Qty. 6	114
Smart A60 E27 Tunable White	2270012700	Clear	Glass	Dimmable by app	5704924013089	Qty. 5	114
Smart A60 E27 Tunable White	2070092701	Milky	Glass	Dimmable by app	5708839002534	Qty. 6	114

Model	Item Number	Color	Material	Dimmable	Ean	Colli	Page
Smart G45 E27 Tunable White	2170052700	Clear	Glass	Dimmable by app	5704924006357	Qty. 6	114
Smart G45 E27 Tunable White	2170062701	Milky	Glass	Dimmable by app	5704924006364	Qty. 6	115
Smart G95 E27 Tunable White	2070102700	Clear	Glass	Dimmable by app	5704924002540	Qty. 6	115
Smart A60 E27 Dimmable	2170142701	Frosted	Plastic	Dimmable by app	5704924006869	Qty. 6	115
Smart A60 E27 Tunable White	2070052701	Frosted	Plastic	Dimmable by app	5704924002496	Qty. 6	115
Smart A60 E27 Tunable White	2270022701	Frosted	Plastic	Dimmable by app	5704924013096	Qty. 5	116
Smart Starter kit EU	2070062701	Frosted	Plastic	Dimmable by app	5704924002502	Qty. 6	116
Smart Starter kit UK	2070072701	Frosted	Plastic	Dimmable by app	5704924002519	Qty. 6	116
Smart G45 E14 Tunable White	2070011401	Frosted	Plastic	Dimmable by app	5704924001932	Qty. 6	116
Smart C35 E14 Dimmable	2170171401	Frosted	Plastic	Dimmable by app	5704924006890	Qty. 6	117
Smart C35 E14 Tunable White	2070021401	Frosted	Plastic	Dimmable by app	5704924001949	Qty. 6	117
Smart GU10 Tunable White	2070031000	Glass Housing	Glass	Dimmable by app	5704924001956	Qty. 6	117
Smart GU10 Dimmable	2170151001	White Housing	Plastic	Dimmable by app	5704924006876	Qty. 6	117
Smart GU10 Tunable White	2070041000	White Housing	Plastic	Dimmable by app	5704924001963	Qty. 6	118
Smart GU10 Tunable White	2270031000	White Housing	Plastic	Dimmable by app	5704924013102	Qty. 5	118
Smart A60 E27 High Heat	2270002700	Frosted	Plastic	Dimmable by app	5704924013072	Qty. 6	118
Smart GU10 High Heat	2170031000	Grey Housing	Plastic	Dimmable by app	5704924006333	Qty. 6	118
Smart A60 E27 Colour	2170072701	Frosted	Plastic	Dimmable by app	5704924006371	Qty. 6	119
Smart A60 E27 Colour	2270052701	Frosted	Plastic	Dimmable by app	5704924013126	Qty. 5	119
Smart A60 B22 Colour	2270042201	Frosted	Plastic	Dimmable by app	5704924013119	Qty. 6	119
Smart G95 E27 Colour	2170092701	Frosted	Plastic	Dimmable by app	5704924006395	Qty. 3	119
Smart GU10 Colour	2170081000	White Housing	Plastic	Dimmable by app	5704924006388	Qty. 6	120
Smart GU10 Colour	2270061000	White Housing	Plastic	Dimmable by app	5704924013133	Qty. 5	120
Smart Spiral Deco A60 E27	2170102747	Gold	Glass	Dimmable by app	5704924006401	Qty. 6	120
Smart Spiral Deco A60 E27	2280012747	Smoked	Glass	Dimmable by app	5704924013140	Qty. 6	120
Smart Spiral Deco ST64 E27	2170112747	Gold	Glass	Dimmable by app	5704924006418	Qty. 6	121
Smart Spiral Deco ST64 E27	2280022747	Smoked	Glass	Dimmable by app	5704924013157	Qty. 6	121
Smart Spiral Deco G95 E27	2170132747	Gold	Glass	Dimmable by app	5704924006425	Qty. 3	121
Smart Spiral Deco G95 E27	2280162747	Smoked	Glass	Dimmable by app	5704924013171	Qty. 3	121
Smart Spiral Deco G200 E27	2170122747	Gold	Glass	Dimmable by app	5704924006432	Qty. 3	122
Smart Spiral Deco G200 E27	2280032747	Smoked	Glass	Dimmable by app	5704924013164	Qty. 3	122

Der tages forbehold for ændringer m.h.t. tekniske specifikationer, design og collistørrelser.

Vi förbehåller oss för ändring med hänsyn till tekniske specifikationer, design och collistorlek.

We reserve the right to changes as to technical specifications, design and number of packages.

Wir nehmen Vorbehalt für Änderungen bezgl. technischer Spezifikationen, Design und Verpackungseinheiten.

Nous nous réservons le droit de modifier toute documentation technique, design et colisage.

We behouden ons het recht om technische specificaties, ontwerp en verpakingsaantal te wijzigen zonder voorafgaande kennisgeving.

Showroom & Headquarters

Østre Havnegade 34
DK 9000 Aalborg
T + 45 98 18 16 11
nordlux@nordlux.com
nordlux.com

Benelux & Portugal

T +32 (0)15 25 76 40
info@nordlux.com

France

T +33 320 479 346
france@nordlux.com

Germany

T +49 (0) 21 52 89 87 37
F +49 (0) 21 52 14 85 54
germany@nordlux.com

Norway

T +47 51 88 63 18
norway@nordlux.com

Sweden

T +46 (0) 20 14 00 054
sweden@nordlux.com

UK & Eire

T +44 (0) 12 00 42 27 77
salesuk@nordlux.com

nordlux®

nordlux.com

instagram **@nordlux**

pinterest **@nordlux**